

**MORTALITY FROM SMOKING
IN DEVELOPED COUNTRIES
1950–2000**

(2nd edition, revised June 2006:
www.deathsfromsmoking.net)

Richard Peto, Alan D Lopez,
Jillian Boreham and Michael Thun

**Trends in annual death rates
(all-cause and all cancer):
total, smoking-attributed & not**

One pair of pages for each of the following:

All Developed Countries	Czech Republic	Latvia	Russian Federation
EU15* (European Union)	Denmark	Lithuania	Slovakia
EU10 [†] (European Union)	Estonia	Luxembourg	Spain
EU25 [‡] (European Union)	Finland	Malta	Sweden
Australia	France	Moldova	Switzerland
Austria	Germany	Netherlands	Ukraine
Belarus	Greece	New Zealand	United Kingdom
Belgium	Hungary	Norway	United States
Bulgaria	Ireland	Poland	
Canada	Italy	Portugal	
Central Asia	Japan	Romania	


*15 countries: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, Netherlands, Portugal, Spain, Sweden, UK

[†]10 countries: Cyprus, Czech Republic, Estonia, Hungary, Latvia, Lithuania, Malta, Poland, Slovakia, Slovenia

[‡]25 countries: listed above for EU15 and EU10

ALL DEVELOPED COUNTRIES: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	3.05	2.94	12.4	4.62	70.1	-	2.26	0.14	9.11	0.26	55.6				
1960	-	2.48	3.53	11.3	6.50	67.5	-	1.74	0.18	8.14	0.30	52.0				
1965	-	2.19	4.10	11.0	9.31	65.6	-	1.41	0.28	7.66	0.56	49.9				
1970	-	2.13	4.47	10.7	12.3	63.3	-	1.26	0.40	7.29	0.90	48.1				
1975	-	1.98	4.51	10.1	14.3	60.2	-	1.15	0.49	6.71	1.30	45.3				
1980	-	1.89	4.64	9.65	14.3	56.0	-	1.04	0.62	6.31	1.66	40.9				
1985	-	1.73	4.57	8.81	14.3	53.3	-	0.98	0.71	5.87	2.20	38.8				
1990	-	1.61	4.42	8.24	13.2	46.5	-	0.84	0.71	5.40	2.84	33.9				
1995	-	1.65	4.51	9.23	12.6	43.8	-	0.81	0.70	5.67	3.14	32.1				
2000	-	1.40	3.70	8.56	11.7	41.9	-	0.67	0.66	5.15	3.02	30.6				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2000: ALL DEVELOPED COUNTRIES

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965	-	0.11	1.38	2.18	3.15	10.0	-	0.10	0.07	2.28	0.10	7.25	0.10	7.55	0.10	7.55
1970	-	0.11	1.50	2.11	4.06	9.77	-	0.09	0.10	2.18	0.17	7.25	0.17	7.25	0.17	7.25
1975	-	0.10	1.62	2.06	5.03	9.82	-	0.09	0.14	2.12	0.28	7.19	0.28	7.19	0.28	7.19
1980	-	0.09	1.75	2.02	5.50	9.54	-	0.08	0.19	2.05	0.42	6.82	0.42	6.82	0.42	6.82
1985	-	0.09	1.84	1.99	5.84	9.62	-	0.08	0.23	1.99	0.63	6.88	0.63	6.88	0.63	6.88
1990	-	0.08	1.90	2.00	5.86	9.52	-	0.07	0.25	1.95	0.90	6.75	0.90	6.75	0.90	6.75
1995	-	0.07	1.76	1.99	5.76	9.39	-	0.07	0.25	1.87	1.04	6.56	1.04	6.56	1.04	6.56
2000	-	0.07	1.49	1.91	5.46	9.22	-	0.06	0.25	1.75	1.03	6.35	1.03	6.35	1.03	6.35

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

EU15 (European Union - 15 countries): 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	2.72	3.15	11.0	5.15	72.9	-	2.04	0.12	8.56	0.21	58.9	-	2.04	0.12	8.56	0.21	58.9
1960	-	2.29	3.84	10.4	7.60	69.0	-	1.61	0.17	7.85	0.39	55.1	-	1.61	0.17	7.85	0.39	55.1
1965	-	1.94	4.37	10.2	10.9	66.8	-	1.29	0.26	7.45	0.68	52.3	-	1.29	0.26	7.45	0.68	52.3
1970	-	1.72	4.45	9.78	14.1	63.3	-	1.08	0.30	7.06	0.91	49.5	-	1.08	0.30	7.06	0.91	49.5
1975	-	1.49	4.41	9.28	16.7	61.1	-	0.90	0.34	6.43	1.13	46.1	-	0.90	0.34	6.43	1.13	46.1
1980	-	1.29	4.23	8.51	15.6	54.3	-	0.74	0.41	5.73	1.28	39.5	-	0.74	0.41	5.73	1.28	39.5
1985	-	1.07	3.94	7.62	15.6	50.9	-	0.59	0.46	5.05	1.72	35.7	-	0.59	0.46	5.05	1.72	35.7
1990	-	1.07	3.44	6.91	13.4	44.2	-	0.53	0.46	4.50	1.94	30.7	-	0.53	0.46	4.50	1.94	30.7
1995	-	0.92	3.01	6.41	12.3	39.9	-	0.45	0.46	4.03	2.25	27.0	-	0.45	0.46	4.03	2.25	27.0
2000	-	0.75	2.42	5.77	10.5	36.2	-	0.38	0.45	3.55	2.12	23.6	-	0.38	0.45	3.55	2.12	23.6

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: EU15 (European Union - 15 countries)

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	0.10	1.01	2.13	1.65	10.9	-	0.10	0.03	2.34	0.03	8.57	-	0.10	0.08	8.56
1960	-	0.11	1.31	2.12	2.52	10.9	-	0.10	0.04	2.32	0.14	8.68	-	0.10	0.08	8.20
1965	-	0.12	1.54	2.10	3.72	11.1	-	0.09	0.07	2.33	0.27	8.13	-	0.09	0.35	7.75
1970	-	0.11	1.60	2.06	4.84	10.7	-	0.08	0.08	2.26	0.50	7.73	-	0.08	0.63	7.37
1975	-	0.10	1.71	2.04	6.05	10.8	-	0.07	0.10	2.22	0.75	7.06	-	0.07	0.77	6.64
1980	-	0.09	1.82	2.01	6.43	10.4	-	0.06	0.13	2.15	0.77	6.64	-	0.06	0.77	6.64
1985	-	0.08	1.83	1.97	6.68	10.5	-	0.06	0.16	2.04	0.77	6.64	-	0.06	0.77	6.64
1990	-	0.07	1.74	1.97	6.24	10.4	-	0.06	0.18	1.98	0.77	6.64	-	0.06	0.77	6.64
1995	-	0.06	1.58	1.91	5.98	10.1	-	0.05	0.19	1.85	0.77	6.64	-	0.05	0.77	6.64
2000	-	0.06	1.34	1.81	5.47	9.69	-	0.05	0.20	1.69	0.77	6.64	-	0.05	0.77	6.64

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

EU10 (European Union - 10 countries): 1965-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79			
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950		
1955		
1960		
1965	-	2.39	4.20	10.5	11.5	70.5	-	1.54	0.23	8.14	1.28	59.5	-	1.38	0.26	7.92	1.21	55.7
1970	-	2.29	4.86	11.0	15.3	68.5	-	1.20	0.29	7.52	1.65	54.8	-	0.98	0.56	7.74	1.74	52.1
1975	-	2.09	5.16	10.6	17.5	66.8	-	0.87	0.64	7.37	1.93	51.8	-	0.77	0.74	7.02	2.40	46.3
1980	-	1.88	6.44	11.4	18.4	68.2	-	0.66	0.81	6.52	2.32	42.0	-	0.66	0.81	6.52	2.32	42.0
1985	-	1.72	7.02	10.9	18.1	67.2	-	0.50	0.80	5.55	2.39	37.4	-	0.50	0.80	5.55	2.39	37.4
1990	-	1.64	7.65	11.0	16.9	63.5	-	0.50	0.80	5.55	2.39	37.4	-	0.50	0.80	5.55	2.39	37.4
1995	-	1.42	7.21	10.9	16.7	57.8	-	0.50	0.80	5.55	2.39	37.4	-	0.50	0.80	5.55	2.39	37.4
2000	-	1.10	5.96	9.78	16.2	52.3	-	0.50	0.80	5.55	2.39	37.4	-	0.50	0.80	5.55	2.39	37.4

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2000: EU10 (European Union - 10 countries)

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965	-	0.11	1.49	2.30	3.87	10.9	-	0.10	0.05	2.45	0.21	9.02	-	0.10	0.05	2.37
1970	-	0.11	1.63	2.27	4.79	10.4	-	0.10	0.07	2.37	0.32	8.48	-	0.09	0.13	2.41
1975	-	0.11	1.86	2.22	6.03	10.5	-	0.09	0.16	2.33	0.40	8.02	-	0.09	0.20	2.31
1980	-	0.11	2.23	2.21	6.21	10.3	-	0.09	0.20	2.31	0.59	8.04	-	0.08	0.26	2.27
1985	-	0.11	2.55	2.16	6.34	10.4	-	0.08	0.26	2.27	0.63	7.99	-	0.06	0.30	2.16
1990	-	0.10	2.93	2.20	6.56	10.7	-	0.06	0.30	2.16	0.71	8.01	-	0.06	0.30	2.16
1995	-	0.09	2.91	2.19	7.11	10.7	-	0.06	0.30	2.16	0.71	8.01	-	0.06	0.30	2.16
2000	-	0.07	2.61	2.20	7.35	11.2	-	0.06	0.30	2.16	0.71	8.01	-	0.06	0.30	2.16

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

EU25 (European Union - 25 countries): 1965-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	-	2.01	4.35	10.3	11.0	67.2	-	1.33	0.26	7.55	0.76	53.2	-	1.12	0.29	7.19	0.96	50.4
1970	-	1.81	4.51	9.96	14.3	64.0	-	0.96	0.34	6.59	1.21	47.3	-	0.79	0.43	6.04	1.35	41.3
1975	-	1.60	4.52	9.48	16.0	61.9	-	0.65	0.49	5.41	1.75	37.9	-	0.58	0.51	4.91	2.01	32.7
1980	-	1.41	4.57	8.94	16.0	56.2	-	0.49	0.51	4.44	2.27	29.0	-	0.49	0.51	4.44	2.27	29.0
1985	-	1.20	4.41	8.11	16.0	53.2	-	0.40	0.51	3.88	2.16	25.6	-	0.40	0.51	3.88	2.16	25.6
1990	-	1.17	4.08	7.53	13.8	46.6	-	0.40	0.51	3.88	2.16	25.6	-	0.40	0.51	3.88	2.16	25.6
1995	-	1.00	3.63	7.08	12.8	42.0	-	0.40	0.51	3.88	2.16	25.6	-	0.40	0.51	3.88	2.16	25.6
2000	-	0.81	2.93	6.36	11.2	38.2	-	0.40	0.51	3.88	2.16	25.6	-	0.40	0.51	3.88	2.16	25.6

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2000: EU25 (European Union - 25 countries)

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950			
1955			
1960			
1965	-	0.11	1.53	2.13	4.84	11.1	-	0.10	0.06	2.35	0.15	8.72				
1970	-	0.11	1.61	2.09	4.84	10.6	-	0.09	0.07	2.28	0.20	8.21				
1975	-	0.11	1.73	2.07	6.05	10.8	-	0.09	0.10	2.24	0.27	8.18				
1980	-	0.10	1.88	2.04	6.40	10.3	-	0.08	0.13	2.19	0.35	7.77				
1985	-	0.09	1.94	2.00	6.63	10.5	-	0.07	0.16	2.09	0.48	7.77				
1990	-	0.08	1.92	2.00	6.27	10.4	-	0.07	0.18	2.03	0.62	7.46				
1995	-	0.07	1.77	1.95	6.13	10.1	-	0.06	0.20	1.92	0.74	7.19				
2000	-	0.06	1.52	1.86	5.70	9.88	-	0.05	0.22	1.76	0.76	6.84				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

AUSTRALIA: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	-	2.27	1.92	13.8	1.64	81.0	-	1.55	0.00	9.63	0.00	57.1						
1955	-	2.06	2.48	12.9	5.89	74.0	-	1.26	0.00	8.73	0.00	53.9						
1960	-	1.83	3.27	12.0	7.63	72.6	-	1.16	0.00	8.29	0.00	49.7						
1965	-	1.66	4.07	11.4	11.5	69.9	-	1.03	0.06	7.97	0.22	49.0						
1970	-	1.76	4.79	11.2	16.6	69.0	-	1.03	0.50	7.76	0.61	49.0						
1975	-	1.51	4.47	9.76	17.0	57.3	-	0.80	0.50	6.74	1.08	41.1						
1980	-	1.30	3.93	8.28	17.0	51.1	-	0.69	0.66	5.25	1.77	34.1						
1985	-	1.23	3.39	7.18	15.5	47.7	-	0.65	0.77	4.69	2.58	32.0						
1990	-	1.09	2.68	6.43	12.4	42.0	-	0.56	0.73	4.07	3.29	27.6						
1995	-	0.95	2.13	5.78	11.4	38.0	-	0.46	0.68	3.58	3.93	24.0						
2000	-	0.87	1.50	4.97	9.32	32.9	-	0.43	0.59	3.08	3.42	20.0						

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: AUSTRALIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	-	0.10	0.48	1.90	0.47	11.2	-	0.08	0.00	2.22	0.00	7.58		
1955	-	0.11	0.66	1.88	1.83	9.91	-	0.10	0.00	2.10	0.00	7.74		
1960	-	0.11	0.92	1.87	2.26	9.43	-	0.10	0.00	2.03	0.00	6.84		
1965	-	0.12	1.15	1.68	3.50	9.38	-	0.10	0.01	1.93	0.04	6.97		
1970	-	0.11	1.38	1.79	4.90	9.40	-	0.09	0.11	2.08	0.12	6.88		
1975	-	0.10	1.50	1.78	5.85	9.18	-	0.08	0.13	2.06	0.26	6.95		
1980	-	0.08	1.53	1.85	6.36	9.28	-	0.08	0.21	1.92	0.49	6.87		
1985	-	0.08	1.48	1.89	6.12	9.88	-	0.08	0.27	2.01	0.72	6.96		
1990	-	0.07	1.29	1.92	5.40	10.1	-	0.06	0.28	1.94	1.02	6.75		
1995	-	0.07	1.10	1.89	5.37	10.2	-	0.06	0.28	1.81	1.37	6.78		
2000	-	0.05	0.86	1.80	4.92	10.1	-	0.05	0.28	1.58	1.36	6.34		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

AUSTRIA: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	3.24	4.67	11.1	9.94	74.5	-	2.13	0.16	9.19	0.55	63.3	-	2.13	0.16	9.19	0.55	63.3
1960	-	2.79	5.14	11.2	12.4	74.2	-	1.73	0.17	8.25	0.93	58.8	-	1.73	0.17	8.25	0.93	58.8
1965	-	2.13	5.25	10.9	16.2	70.4	-	1.33	0.29	7.93	0.87	56.0	-	1.33	0.29	7.93	0.87	56.0
1970	-	2.07	4.74	11.4	18.2	70.9	-	1.16	0.26	7.80	1.26	55.9	-	1.16	0.26	7.80	1.26	55.9
1975	-	1.88	4.01	10.5	18.4	66.2	-	1.01	0.35	6.85	1.43	49.3	-	1.01	0.35	6.85	1.43	49.3
1980	-	1.63	3.70	9.85	16.6	60.1	-	0.84	0.30	6.13	1.94	44.0	-	0.84	0.30	6.13	1.94	44.0
1985	-	1.33	3.46	8.87	13.7	55.5	-	0.62	0.31	5.47	1.76	39.6	-	0.62	0.31	5.47	1.76	39.6
1990	-	1.05	3.10	7.93	10.9	48.2	-	0.52	0.35	4.76	1.54	32.2	-	0.52	0.35	4.76	1.54	32.2
1995	-	0.93	2.69	7.29	9.86	42.7	-	0.41	0.36	4.26	1.59	28.4	-	0.41	0.36	4.26	1.59	28.4
2000	-	0.78	2.13	6.12	8.19	38.7	-	0.37	0.45	3.51	1.83	24.8	-	0.37	0.45	3.51	1.83	24.8

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: AUSTRIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950			
1955	-	0.11	1.72	2.42	3.90	12.9	-	0.12	0.03	2.81	0.10	10.9	-			
1960	-	0.10	1.94	2.30	4.98	13.2	-	0.11	0.04	2.68	0.21	10.7	-			
1965	-	0.12	1.96	2.29	6.25	12.8	-	0.12	0.07	2.65	0.18	10.3	-			
1970	-	0.12	1.75	2.25	6.78	12.5	-	0.09	0.06	2.64	0.25	10.0	-			
1975	-	0.11	1.59	2.10	7.46	11.7	-	0.09	0.10	2.46	0.33	9.17	-			
1980	-	0.10	1.55	2.12	7.18	11.5	-	0.09	0.09	2.26	0.53	8.95	-			
1985	-	0.07	1.51	1.95	5.81	11.1	-	0.07	0.11	2.20	0.47	8.51	-			
1990	-	0.06	1.53	2.00	5.20	11.0	-	0.06	0.14	2.08	0.51	8.06	-			
1995	-	0.05	1.36	1.87	4.80	10.4	-	0.05	0.16	1.93	0.55	7.70	-			
2000	-	0.05	1.15	1.71	4.15	9.78	-	0.04	0.23	1.64	0.70	7.14	-			

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

BELARUS: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	1.97	5.90	11.6	10.4	67.1	-	0.94	0.00	7.60	0.00	46.6
1990	-	1.92	6.30	11.1	14.2	59.9	-	0.77	0.11	7.13	0.40	44.8
1995	-	2.31	8.47	14.6	17.1	71.3	-	0.86	0.00	8.53	0.00	51.0
2000	-	2.29	7.94	15.7	15.8	66.3	-	0.84	0.00	8.55	0.00	48.4

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: BELARUS

ALL CANCER mortality rates attributed and not attributed to smoking



† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)


Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950		
1955		
1960		
1965		
1970		
1975		
1980		
1985	-	0.12		2.02	2.17	3.07	7.79	-	0.11		0.00	1.91		0.00	4.82			
1990	-	0.12		2.30	2.25	4.65	8.90	-	0.10		0.02	1.98		0.06	5.76			
1995	-	0.09		2.70	2.38	5.33	9.85	-	0.10		0.00	2.02		0.00	6.50			
2000	-	0.09		2.44	2.42	5.07	9.49	-	0.08		0.00	1.99		0.00	5.60			

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

BELGIUM: 1955-2000[†]

[†]2000 mortality involves 1997 rates applied to 2000 population

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70

[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)


Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	2.56	3.84	11.3	5.11	74.7	-	1.81	0.01	8.90	0.00	61.7	-	1.81	0.01	8.90	0.00	61.7
1960	-	2.17	4.97	10.5	8.17	73.6	-	1.39	0.01	8.31	0.00	59.9	-	1.39	0.01	8.31	0.00	59.9
1965	-	1.80	5.80	9.89	13.3	67.1	-	1.18	0.04	7.94	0.22	54.6	-	1.18	0.04	7.94	0.22	54.6
1970	-	1.71	6.10	9.52	17.6	64.3	-	1.04	0.07	7.80	0.12	53.3	-	1.04	0.07	7.80	0.12	53.3
1975	-	1.44	5.97	8.56	22.3	60.6	-	0.84	0.21	6.96	0.82	49.5	-	0.84	0.21	6.96	0.82	49.5
1980	-	1.39	5.62	7.75	22.9	53.3	-	0.80	0.25	6.09	0.73	41.5	-	0.80	0.25	6.09	0.73	41.5
1985	-	1.13	5.34	6.84	23.4	48.8	-	0.62	0.29	5.31	1.02	37.4	-	0.62	0.29	5.31	1.02	37.4
1990	-	1.07	4.23	5.98	20.0	41.2	-	0.56	0.39	4.52	0.93	31.3	-	0.56	0.39	4.52	0.93	31.3
1995	-	0.94	4.03	5.58	18.7	38.1	-	0.47	0.48	4.21	1.48	27.8	-	0.47	0.48	4.21	1.48	27.8
2000	-	0.87	3.41	5.14	16.2	34.1	-	0.44	0.45	3.81	1.50	24.7	-	0.44	0.45	3.81	1.50	24.7

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000[†]: BELGIUM

[‡]2000 mortality involves 1997 rates applied to 2000 population

ALL CANCER mortality rates attributed and not attributed to smoking




[†] Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950	---	---	---	---	---	---	---	---	---	---	---	---	---			
1955	-	0.10	1.05	2.17	1.57	11.9	-	0.10	0.00	2.56	0.00	10.2				
1960	-	0.13	1.52	2.12	2.59	12.2	-	0.10	0.00	2.55	0.00	10.1				
1965	-	0.11	1.92	2.02	4.54	11.5	-	0.11	0.01	2.43	0.05	9.72				
1970	-	0.11	2.10	1.95	6.10	11.0	-	0.09	0.01	2.40	0.02	9.28				
1975	-	0.11	2.31	1.90	8.50	10.5	-	0.08	0.05	2.38	0.18	8.67				
1980	-	0.08	2.46	1.82	10.1	10.7	-	0.08	0.08	2.25	0.20	8.49				
1985	-	0.08	2.51	1.75	10.7	10.2	-	0.06	0.10	2.16	0.28	8.37				
1990	-	0.07	2.17	1.67	9.69	10.1	-	0.05	0.16	2.04	0.29	7.58				
1995	-	0.05	2.19	1.69	8.96	9.51	-	0.06	0.21	1.99	0.47	7.53				
2000	-	0.07	1.91	1.56	8.21	8.71	-	0.06	0.20	1.77	0.52	7.01				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

BULGARIA: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	1.57	4.34	10.6	7.91	72.3	-	0.96	0.45	7.07	1.69	57.7
1990	-	1.58	4.73	10.9	7.34	70.6	-	0.89	0.28	7.21	0.87	53.7
1995	-	1.54	5.14	11.6	7.49	70.0	-	0.88	0.43	6.91	1.51	52.0
2000	-	1.38	4.51	11.4	6.77	70.5	-	0.87	0.37	6.90	0.91	52.4

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: BULGARIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	0.12	1.41	1.73	2.31	7.35	-	0.12	0.10	1.86	0.29	5.79	-	0.10	0.06	1.87
1990	-	0.12	1.57	1.78	2.33	7.82	-	0.10	0.11	1.87	0.31	5.73	-	0.10	0.09	1.77
1995	-	0.12	1.67	1.84	2.51	7.90	-	0.10	0.11	1.87	0.31	5.73	-	0.10	0.09	1.77
2000	-	0.08	1.43	1.79	2.26	7.55	-	0.08	0.09	1.77	0.17	5.45	-	0.08	0.09	1.77

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

CANADA: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79			
			Yes	No	Yes	No	Yes	No			Yes	No	Yes	No		
1950	-	2.94	1.73	12.5	1.46	68.1	-	2.18	0.00	9.87	0.00	56.2				
1955	-	2.42	2.24	11.4	3.41	65.5	-	1.60	0.06	8.33	0.00	51.1				
1960	-	2.10	2.70	11.0	5.67	63.3	-	1.32	0.00	7.89	0.00	47.3				
1965	-	1.86	3.36	10.4	7.81	60.2	-	1.12	0.18	7.15	0.11	43.4				
1970	-	1.72	3.79	9.59	11.0	55.4	-	1.02	0.33	6.53	0.42	38.6				
1975	-	1.60	3.89	9.00	13.1	50.7	-	0.87	0.64	5.86	0.91	35.6				
1980	-	1.34	3.90	7.71	14.0	46.0	-	0.71	0.83	4.99	2.17	30.7				
1985	-	1.08	3.64	6.73	14.4	42.4	-	0.57	1.12	4.26	3.40	27.3				
1990	-	0.99	3.26	5.89	14.1	37.4	-	0.51	1.13	3.73	4.25	23.9				
1995	-	0.89	2.68	5.67	13.0	35.8	-	0.46	1.20	3.48	5.06	22.1				
2000	-	0.71	2.07	5.12	11.1	32.1	-	0.40	1.16	3.08	5.42	19.8				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: CANADA

ALL CANCER mortality rates attributed and not attributed to smoking



† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)


Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79			
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950	-	0.10	0.49	2.13	0.55	10.5	-	0.11	0.00	2.61	0.00	8.68		
1955	-	0.11	0.69	2.03	1.37	10.7	-	0.11	0.01	2.46	0.00	8.39		
1960	-	0.12	0.84	1.90	2.21	10.5	-	0.10	0.00	2.47	0.00	8.25		
1965	-	0.11	1.10	1.82	2.97	9.82	-	0.09	0.05	2.35	0.02	7.90		
1970	-	0.10	1.32	1.83	4.26	9.99	-	0.09	0.10	2.29	0.11	7.65		
1975	-	0.09	1.44	1.71	5.27	9.29	-	0.07	0.21	2.10	0.25	7.53		
1980	-	0.08	1.67	1.71	6.16	9.10	-	0.07	0.32	2.02	0.70	7.06		
1985	-	0.07	1.70	1.68	6.51	9.15	-	0.07	0.48	1.94	1.21	7.13		
1990	-	0.06	1.68	1.68	6.86	8.86	-	0.05	0.53	1.85	1.61	6.83		
1995	-	0.05	1.42	1.69	6.60	9.05	-	0.05	0.57	1.71	1.98	6.67		
2000	-	0.05	1.17	1.62	5.98	9.05	-	0.05	0.60	1.59	2.32	6.40		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

CENTRAL ASIA (8 countries): 1985-2000

See note on page 127

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	4.03	5.93	14.0	11.1	76.5	-	3.02	0.75	9.97	1.99	56.7	-	2.25	0.77	9.61	2.33	54.5
1990	-	3.31	5.95	13.8	12.2	71.2	-	2.27	0.59	11.8	1.76	64.7	-	1.67	0.51	11.2	1.79	63.7
1995	-	3.49	6.18	17.3	10.4	83.8	-	1.67	0.51	11.2	1.79	63.7	-	1.67	0.51	11.2	1.79	63.7
2000	-	2.77	4.94	16.7	9.42	78.1	-	1.67	0.51	11.2	1.79	63.7	-	1.67	0.51	11.2	1.79	63.7

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: CENTRAL ASIA (8 countries)

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	0.12	1.90	2.32	3.62	8.59	-	0.11	0.18	2.25	0.44	6.10		
1990	-	0.12	1.99	2.24	4.13	8.34	-	0.11	0.18	2.18	0.54	6.28		
1995	-	0.10	1.54	1.96	2.77	6.91	-	0.10	0.11	1.97	0.32	5.13		
2000	-	0.10	1.25	1.89	2.66	6.77	-	0.09	0.09	1.92	0.33	5.38		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

CZECH REPUBLIC: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	1.24	7.32	10.2	21.7	70.7	-	0.66	0.59	7.41	2.19	61.7
1990	-	1.19	7.73	10.5	19.5	69.3	-	0.63	0.67	7.03	2.17	51.3
1995	-	0.99	5.78	9.01	16.9	59.1	-	0.50	0.79	5.95	1.86	44.2
2000	-	0.79	4.71	8.11	13.8	51.3	-	0.38	0.69	4.96	2.70	36.9

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: CZECH REPUBLIC

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)						FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950
1955
1960
1965
1970
1975
1980
1985	-	0.11	2.81	2.26	7.97	12.0	-	0.08	0.15	2.52	0.44	10.3
1990	-	0.11	3.08	2.39	7.77	13.1	-	0.10	0.19	2.55	0.53	10.1
1995	-	0.08	2.64	2.38	7.71	12.4	-	0.07	0.27	2.46	0.53	9.81
2000	-	0.07	2.33	2.35	6.73	12.4	-	0.06	0.28	2.22	0.87	9.11

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

DENMARK: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	1.74	1.96	9.17	2.64	61.2	-	1.23	0.00	8.23	0.00	55.1	-	1.04	0.18	7.52	1.38	54.0
1960	-	1.59	2.50	8.82	4.91	62.5	-	0.99	0.31	7.20	1.34	50.2	-	0.77	0.53	6.70	1.83	42.0
1965	-	1.51	3.49	8.93	8.51	60.1	-	0.64	0.69	6.08	2.00	37.4	-	0.61	1.05	5.95	2.84	34.4
1970	-	1.27	3.59	8.46	10.4	55.4	-	0.56	1.53	5.34	4.23	32.0	-	0.50	1.93	5.11	5.70	30.3
1975	-	1.13	3.73	8.16	13.5	52.4	-	0.42	2.20	4.93	7.47	29.8	-	0.36	1.86	4.23	8.92	25.4
1980	-	1.09	4.10	8.43	16.7	51.8	-	0.42	2.20	4.93	7.47	29.8	-	0.36	1.86	4.23	8.92	25.4
1985	-	1.06	4.23	7.86	17.0	48.1	-	0.42	2.20	4.93	7.47	29.8	-	0.36	1.86	4.23	8.92	25.4
1990	-	0.93	3.83	7.72	16.8	47.8	-	0.42	2.20	4.93	7.47	29.8	-	0.36	1.86	4.23	8.92	25.4
1995	-	0.83	3.33	7.50	17.3	46.1	-	0.42	2.20	4.93	7.47	29.8	-	0.36	1.86	4.23	8.92	25.4
2000	-	0.67	2.63	6.35	14.7	39.8	-	0.36	1.86	4.23	8.92	25.4	-	0.36	1.86	4.23	8.92	25.4

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: DENMARK

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
1950				
1955	-	0.12	0.79	2.26	1.22	12.9	-	0.12	0.00	2.93	0.00	11.0				
1960	-	0.13	1.01	2.12	2.06	12.2	-	0.12	0.05	2.80	0.35	10.8				
1965	-	0.14	1.33	2.03	3.46	11.8	-	0.12	0.09	2.85	0.34	10.5				
1970	-	0.11	1.39	1.97	4.03	10.3	-	0.11	0.16	2.70	0.50	9.31				
1975	-	0.11	1.48	1.84	5.57	10.3	-	0.10	0.24	2.59	0.59	8.80				
1980	-	0.09	1.65	1.95	7.16	11.1	-	0.09	0.37	2.62	0.90	9.09				
1985	-	0.09	1.79	1.94	7.27	10.4	-	0.08	0.57	2.43	1.29	8.72				
1990	-	0.08	1.69	2.01	7.25	11.0	-	0.06	0.72	2.39	1.85	8.61				
1995	-	0.07	1.50	1.96	7.58	11.1	-	0.07	0.87	2.42	2.33	8.30				
2000	-	0.07	1.35	1.94	6.88	10.5	-	0.05	0.77	2.21	2.87	8.40				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

ESTONIA: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	2.24	6.50	12.1	16.9	75.9	-	0.95	0.30	7.20	1.43	53.7	-	0.87	0.57	7.60	1.47	46.2
1990	-	2.23	7.65	12.9	14.8	63.9	-	0.93	0.48	7.98	1.02	43.8	-	0.72	0.25	7.09	2.76	39.7
1995	-	2.74	8.65	16.0	17.1	62.7	-	0.72	0.25	7.09	2.76	39.7	-	0.72	0.25	7.09	2.76	39.7
2000	-	1.80	6.63	13.9	17.2	55.6	-	0.72	0.25	7.09	2.76	39.7	-	0.72	0.25	7.09	2.76	39.7

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: ESTONIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	0.11	2.27	2.19	5.80	10.3	-	0.12	0.07	2.16	0.31	7.09				
1990	-	0.08	2.70	2.30	5.61	9.66	-	0.08	0.12	2.34	0.35	6.69				
1995	-	0.11	2.77	2.17	6.92	10.3	-	0.09	0.12	2.11	0.24	7.00				
2000	-	0.08	2.36	2.15	7.52	11.0	-	0.07	0.07	2.26	0.79	6.93				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

FINLAND: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	2.58	6.58	13.3	12.0	80.3	-	1.60	0.15	9.88	0.00	71.5	-	1.60	0.15	9.88
1960	-	2.03	7.11	11.7	16.0	75.5	-	1.15	0.00	9.16	0.00	70.4	-	1.15	0.00	9.16
1965	-	1.85	7.65	12.1	20.2	75.5	-	0.98	0.06	8.81	0.00	71.2	-	0.98	0.06	8.81
1970	-	1.62	7.17	11.5	21.6	67.8	-	0.78	0.00	7.82	0.00	59.1	-	0.78	0.00	7.82
1975	-	1.55	6.11	11.2	20.0	61.7	-	0.70	0.05	6.65	0.23	48.6	-	0.70	0.05	6.65
1980	-	1.21	5.58	10.0	21.5	54.1	-	0.53	0.22	5.52	1.27	39.9	-	0.53	0.22	5.52
1985	-	1.05	4.65	9.50	19.2	55.5	-	0.46	0.31	4.99	1.15	38.7	-	0.46	0.31	4.99
1990	-	1.15	3.35	9.30	15.5	50.8	-	0.53	0.24	4.75	1.29	35.3	-	0.53	0.24	4.75
1995	-	0.87	2.49	8.32	13.5	46.2	-	0.37	0.22	4.14	1.27	30.7	-	0.37	0.22	4.14
2000	-	0.82	1.71	7.52	11.1	40.2	-	0.38	0.21	3.77	1.46	25.8	-	0.38	0.21	3.77

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: FINLAND

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79			
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950		
1955	-	0.13	2.04	2.45	4.33	11.7	-	0.09	0.03	2.36	0.00	9.68		
1960	-	0.11	2.30	2.15	5.65	11.6	-	0.10	0.00	2.33	0.00	10.2		
1965	-	0.12	2.29	1.91	6.74	10.1	-	0.10	0.01	2.13	0.00	9.14		
1970	-	0.11	2.22	1.81	7.63	10.4	-	0.09	0.00	2.03	0.00	8.47		
1975	-	0.11	1.96	1.78	7.37	9.62	-	0.08	0.01	1.96	0.07	7.88		
1980	-	0.10	1.92	1.62	8.76	9.16	-	0.06	0.06	1.87	0.36	7.16		
1985	-	0.08	1.68	1.65	7.43	8.86	-	0.05	0.10	1.73	0.34	7.76		
1990	-	0.05	1.33	1.62	6.68	9.12	-	0.06	0.08	1.79	0.43	7.22		
1995	-	0.05	1.07	1.57	6.18	9.18	-	0.05	0.09	1.66	0.43	6.90		
2000	-	0.05	0.77	1.54	5.12	8.37	-	0.05	0.09	1.56	0.55	6.75		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

FRANCE: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	-	3.33	1.55	15.0	0.88	82.1	-	2.52	0.00	9.84	0.00	59.7	-	2.52	0.00	59.7
1955	-	2.47	2.31	13.9	2.96	78.5	-	1.70	0.00	8.88	0.00	54.9	-	1.70	0.00	54.9
1960	-	1.90	2.86	12.5	4.44	73.3	-	1.23	0.00	7.83	0.00	50.2	-	1.23	0.00	50.2
1965	-	1.73	3.45	12.3	6.65	69.0	-	1.06	0.00	7.26	0.00	46.1	-	1.06	0.00	46.1
1970	-	1.64	3.50	11.2	8.42	63.0	-	0.94	0.00	6.66	0.00	42.6	-	0.94	0.00	42.6
1975	-	1.48	3.93	10.3	10.8	61.1	-	0.83	0.00	6.10	0.00	39.5	-	0.83	0.00	39.5
1980	-	1.45	4.05	9.27	9.97	52.1	-	0.74	0.00	5.42	0.00	32.5	-	0.74	0.00	32.5
1985	-	1.25	3.81	8.23	10.7	48.2	-	0.64	0.05	4.71	0.17	29.7	-	0.64	0.05	29.7
1990	-	1.20	3.55	7.10	9.28	39.8	-	0.55	0.11	4.05	0.20	24.4	-	0.55	0.11	24.4
1995	-	1.04	3.28	6.46	8.28	34.8	-	0.49	0.18	3.72	0.36	21.0	-	0.49	0.18	21.0
2000	-	0.81	2.78	5.88	7.49	34.2	-	0.39	0.21	3.38	0.46	19.8	-	0.39	0.21	19.8

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: FRANCE

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
1950	-	0.09	0.48	2.72	0.28	11.6	-	0.08	0.00	2.32	0.00	8.41				
1955	-	0.10	0.77	2.51	1.02	12.0	-	0.09	0.00	2.27	0.00	8.61				
1960	-	0.11	1.10	2.54	1.65	12.6	-	0.09	0.00	2.26	0.00	8.24				
1965	-	0.10	1.43	2.56	2.60	12.4	-	0.09	0.00	2.20	0.00	8.11				
1970	-	0.10	1.54	2.49	3.42	12.2	-	0.08	0.00	2.09	0.00	7.80				
1975	-	0.10	1.85	2.49	4.58	12.7	-	0.08	0.00	2.10	0.00	7.70				
1980	-	0.09	2.15	2.51	4.97	11.8	-	0.08	0.00	2.06	0.00	7.02				
1985	-	0.08	2.12	2.48	5.46	12.0	-	0.07	0.02	1.91	0.06	7.02				
1990	-	0.07	2.12	2.41	5.23	11.5	-	0.06	0.05	1.83	0.07	6.76				
1995	-	0.06	1.96	2.22	4.81	10.7	-	0.05	0.09	1.74	0.14	6.33				
2000	-	0.06	1.69	2.05	4.57	10.4	-	0.05	0.11	1.62	0.21	6.11				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

GERMANY: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	2.81	2.82	10.6	4.20	71.2	-	1.99	0.01	8.51	0.00	62.6	-	1.99	0.01	8.51	0.00	62.6
1960	-	2.46	3.79	10.6	7.30	71.3	-	1.64	0.09	8.09	0.10	59.9	-	1.64	0.09	8.09	0.10	59.9
1965	-	1.94	4.35	10.6	11.4	69.6	-	1.23	0.18	7.96	0.87	56.4	-	1.23	0.18	7.96	0.87	56.4
1970	-	1.85	4.55	10.6	16.6	68.9	-	1.07	0.16	7.87	0.66	56.5	-	1.07	0.16	7.87	0.66	56.5
1975	-	1.63	4.37	10.1	19.5	67.2	-	0.95	0.15	7.18	0.73	52.9	-	0.95	0.15	7.18	0.73	52.9
1980	-	1.39	4.24	9.34	16.9	59.7	-	0.79	0.20	6.51	0.84	44.4	-	0.79	0.20	6.51	0.84	44.4
1985	-	1.05	3.88	8.20	16.0	56.6	-	0.60	0.27	5.61	0.99	40.4	-	0.60	0.27	5.61	0.99	40.4
1990	-	1.00	3.65	7.77	13.3	50.4	-	0.53	0.36	5.16	1.38	35.4	-	0.53	0.36	5.16	1.38	35.4
1995	-	0.82	3.25	7.19	12.5	44.3	-	0.42	0.42	4.48	1.76	30.2	-	0.42	0.42	4.48	1.76	30.2
2000	-	0.68	2.58	6.27	10.2	38.1	-	0.36	0.46	3.80	1.72	25.0	-	0.36	0.46	3.80	1.72	25.0

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1975-2000: GERMANY

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975	-	0.10	1.54	2.07	6.55	11.5	-	0.08	0.04	2.44	0.14	9.23				
1980	-	0.09	1.59	2.04	6.38	10.7	-	0.07	0.05	2.36	0.20	8.66				
1985	-	0.08	1.61	1.97	6.25	10.8	-	0.07	0.08	2.19	0.25	8.62				
1990	-	0.07	1.63	1.94	5.66	10.8	-	0.06	0.13	2.13	0.39	8.20				
1995	-	0.06	1.55	1.92	5.70	10.5	-	0.06	0.17	1.98	0.55	7.96				
2000	-	0.05	1.33	1.80	5.07	9.71	-	0.05	0.21	1.76	0.61	7.03				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

GREECE: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	2.64	2.09	7.83	3.78	47.6	-	2.35	0.35	6.47	0.00	41.2	-	2.35	0.24	5.93	0.06	40.5
1960	-	2.28	2.22	7.52	4.56	47.4	-	1.90	0.24	5.93	0.06	40.5	-	1.56	0.33	6.22	0.23	46.5
1965	-	2.03	2.49	7.82	6.99	51.4	-	1.18	0.29	5.65	0.53	44.4	-	1.18	0.34	5.25	1.32	42.5
1970	-	1.74	2.40	7.47	8.66	47.6	-	1.07	0.17	5.02	0.76	40.0	-	0.82	0.24	4.37	0.98	39.2
1975	-	1.59	2.84	6.61	10.2	43.1	-	0.62	0.19	3.86	1.21	34.5	-	0.57	0.17	3.55	1.03	31.6
1980	-	1.30	2.82	5.91	12.0	45.6	-	0.46	0.17	3.22	1.21	28.8	-	0.46	0.17	3.22	1.21	28.8
1985	-	1.16	2.68	5.54	10.9	41.2	-	0.37	0.17	3.22	1.21	28.8	-	0.37	0.17	3.22	1.21	28.8
1990	-	0.97	2.64	5.42	10.5	38.4	-	0.37	0.17	3.22	1.21	28.8	-	0.37	0.17	3.22	1.21	28.8
1995	-	0.94	2.58	5.19	9.92	35.9	-	0.37	0.17	3.22	1.21	28.8	-	0.37	0.17	3.22	1.21	28.8
2000	-	0.83	2.58	5.19	9.92	35.9	-	0.37	0.17	3.22	1.21	28.8	-	0.37	0.17	3.22	1.21	28.8

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2000: GREECE

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965	-	0.11	1.03	1.71	2.79	7.55	-	0.09	0.07	1.68	0.04	5.01	-	0.09	0.09	1.61
1970	-	0.10	0.96	1.72	3.21	7.63	-	0.09	0.07	1.54	0.08	4.70	-	0.10	0.09	1.61
1975	-	0.13	1.21	1.78	4.26	7.94	-	0.10	0.09	1.61	0.22	5.35	-	0.08	0.06	1.68
1980	-	0.10	1.34	1.69	4.60	7.91	-	0.08	0.06	1.68	0.17	5.89	-	0.07	0.09	1.61
1985	-	0.08	1.41	1.53	5.74	8.55	-	0.07	0.09	1.61	0.25	6.05	-	0.07	0.08	1.54
1990	-	0.07	1.41	1.50	5.82	8.48	-	0.07	0.08	1.54	0.39	5.86	-	0.06	0.07	1.46
1995	-	0.08	1.42	1.55	5.72	8.52	-	0.06	0.07	1.46	0.35	6.15	-	0.05	0.08	1.37
2000	-	0.06	1.38	1.48	5.46	8.58	-	0.05	0.08	1.37	0.44	6.14	-	0.05	0.08	1.37

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

HUNGARY: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	3.60	2.59	11.4	3.25	73.7	-	2.67	0.31	9.79	0.45	66.2	-	2.67	0.31	9.79
1960	-	2.65	3.12	10.9	6.53	75.7	-	1.88	0.37	9.05	1.48	66.2	-	1.88	0.37	9.05
1965	-	2.40	3.71	10.3	10.2	74.0	-	1.63	0.44	8.24	2.09	61.6	-	1.63	0.44	8.24
1970	-	2.39	4.01	11.4	13.2	71.3	-	1.51	0.50	8.08	2.02	59.8	-	1.51	0.50	8.08
1975	-	2.38	4.42	11.3	18.0	68.8	-	1.54	0.45	8.15	2.96	56.4	-	1.54	0.45	8.15
1980	-	1.79	6.32	12.7	20.5	68.9	-	1.03	0.94	8.66	3.25	53.8	-	1.03	0.94	8.66
1985	-	1.85	7.16	12.6	19.7	69.1	-	1.03	1.03	8.15	3.45	52.3	-	1.03	1.03	8.15
1990	-	1.75	8.48	12.3	17.8	64.1	-	0.92	1.29	7.76	4.25	47.7	-	0.92	1.29	7.76
1995	-	1.35	8.77	12.8	18.8	59.3	-	0.67	1.56	7.34	4.15	42.5	-	0.67	1.56	7.34
2000	-	1.05	7.84	11.1	17.5	56.3	-	0.55	1.64	6.18	4.11	40.5	-	0.55	1.64	6.18

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: HUNGARY

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
1950				
1955	-	0.09	0.83	2.25	1.04	9.68	-	0.09	0.06	2.58	0.08	8.24				
1960	-	0.11	1.05	2.23	2.19	11.5	-	0.10	0.08	2.57	0.25	9.34				
1965	-	0.11	1.34	2.20	3.56	11.5	-	0.09	0.10	2.45	0.38	9.51				
1970	-	0.11	1.44	2.31	4.97	12.0	-	0.10	0.12	2.45	0.42	9.70				
1975	-	0.13	1.62	2.39	6.74	12.1	-	0.10	0.11	2.58	0.62	9.67				
1980	-	0.13	2.11	2.39	7.03	11.8	-	0.10	0.21	2.56	0.58	8.99				
1985	-	0.12	2.58	2.26	7.14	11.6	-	0.10	0.25	2.44	0.73	9.13				
1990	-	0.11	3.35	2.33	7.16	12.3	-	0.10	0.36	2.43	1.03	9.21				
1995	-	0.10	3.64	2.36	7.95	12.2	-	0.08	0.50	2.45	1.10	9.13				
2000	-	0.08	3.61	2.33	7.90	12.1	-	0.07	0.62	2.28	1.16	8.78				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

IRELAND: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79			
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	-	3.27	1.58	13.6	0.15	81.6	-	3.06	0.00	12.2	0.00	69.3	-	3.06	0.00	12.2	0.00	69.3
1955	-	2.40	2.71	11.8	2.06	81.1	-	1.91	0.65	10.1	0.00	70.5	-	1.91	0.65	10.1	0.00	70.5
1960	-	1.88	3.48	9.99	3.42	69.0	-	1.42	0.67	8.81	0.07	59.5	-	1.42	0.67	8.81	0.07	59.5
1965	-	1.63	4.20	10.1	7.67	69.2	-	1.18	0.77	8.04	1.72	57.2	-	1.18	0.77	8.04	1.72	57.2
1970	-	1.47	5.18	9.96	11.0	66.7	-	1.04	1.25	7.98	3.01	51.4	-	1.04	1.25	7.98	3.01	51.4
1975	-	1.40	4.78	9.49	15.3	62.3	-	0.85	1.41	6.78	3.79	47.8	-	0.85	1.41	6.78	3.79	47.8
1980	-	1.13	4.43	9.35	17.9	61.9	-	0.69	1.48	6.39	5.08	46.3	-	0.69	1.48	6.39	5.08	46.3
1985	-	0.96	4.58	8.39	20.7	62.1	-	0.52	1.47	5.63	7.98	39.7	-	0.52	1.47	5.63	7.98	39.7
1990	-	0.90	3.52	7.82	18.3	53.0	-	0.52	1.29	5.00	7.40	33.2	-	0.52	1.29	5.00	7.40	33.2
1995	-	0.90	2.93	7.30	17.7	53.1	-	0.48	1.21	4.62	7.32	32.7	-	0.48	1.21	4.62	7.32	32.7
2000	-	0.93	2.13	6.58	13.9	46.8	-	0.44	0.95	4.15	7.53	28.5	-	0.44	0.95	4.15	7.53	28.5

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: IRELAND

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)									
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79			
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	-	0.09	0.37	2.44	0.05	9.42	-	0.10	0.00	2.53	0.00	6.79	-	0.09	0.13	2.36	0.00	7.75
1955	-	0.12	0.73	2.11	0.60	10.8	-	0.09	0.14	2.49	0.01	7.71	-	0.10	0.16	2.26	0.28	7.75
1960	-	0.11	1.05	1.96	1.06	9.20	-	0.10	0.27	2.45	0.55	8.03	-	0.11	0.27	2.45	0.55	8.03
1965	-	0.12	1.20	1.85	2.25	10.5	-	0.07	0.40	2.50	0.85	8.17	-	0.11	0.40	2.50	0.85	8.17
1970	-	0.11	1.50	1.80	3.00	9.72	-	0.08	0.42	2.34	1.08	7.78	-	0.08	0.42	2.34	1.08	7.78
1975	-	0.11	1.56	1.95	5.02	9.09	-	0.07	0.45	2.24	1.94	7.57	-	0.08	0.45	2.24	1.94	7.57
1980	-	0.08	1.50	1.91	5.83	10.2	-	0.07	0.45	2.18	2.28	7.72	-	0.08	0.45	2.18	2.28	7.72
1985	-	0.08	1.70	1.90	6.77	10.1	-	0.05	0.44	2.15	2.11	7.66	-	0.07	0.44	2.15	2.11	7.66
1990	-	0.06	1.42	1.91	6.75	10.3	-	0.05	0.40	2.10	2.48	7.43	-	0.06	0.40	2.10	2.48	7.43
1995	-	0.05	1.26	1.99	6.66	11.3	-	0.05	0.40	2.10	2.48	7.43	-	0.05	0.40	2.10	2.48	7.43
2000	-	0.06	1.04	1.98	6.08	10.8	-	0.05	0.40	2.10	2.48	7.43	-	0.05	0.40	2.10	2.48	7.43

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

ITALY: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	3.11	1.78	11.1	0.91	70.7	-	2.44	0.00	8.43	0.00	59.3	-	2.44	0.06	7.87	0.07	55.3
1960	-	2.71	2.74	10.8	2.27	68.1	-	2.04	0.12	7.42	0.21	54.1	-	1.60	0.12	6.73	0.32	48.6
1965	-	2.28	3.58	10.5	5.27	67.1	-	1.27	0.16	6.12	0.92	45.1	-	1.27	0.16	6.12	0.92	45.1
1970	-	1.88	3.74	9.40	8.86	61.9	-	0.93	0.22	5.44	0.89	39.2	-	0.71	0.24	4.85	1.36	35.3
1975	-	1.46	4.42	8.07	13.9	53.4	-	0.56	0.23	4.15	1.28	28.6	-	0.50	0.23	3.69	1.30	25.6
1980	-	1.21	4.42	8.07	13.9	53.4	-	0.45	0.22	3.20	1.29	22.0	-	0.45	0.22	3.20	1.29	22.0
1985	-	0.99	4.21	7.03	15.2	49.8	-	0.36	0.22	3.20	1.29	22.0	-	0.36	0.22	3.20	1.29	22.0
1990	-	1.05	3.56	6.01	12.9	40.8	-	0.36	0.22	3.20	1.29	22.0	-	0.36	0.22	3.20	1.29	22.0
1995	-	0.95	2.94	5.56	12.4	37.2	-	0.36	0.22	3.20	1.29	22.0	-	0.36	0.22	3.20	1.29	22.0
2000	-	0.70	2.18	4.89	11.2	32.6	-	0.36	0.22	3.20	1.29	22.0	-	0.36	0.22	3.20	1.29	22.0

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: ITALY

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950			
1955	-	0.11	0.57	2.23	0.29	9.68	-	0.10	0.00	2.15	0.00	7.26				
1960	-	0.12	0.93	2.27	0.72	10.2	-	0.11	0.01	2.18	0.01	7.71				
1965	-	0.12	1.26	2.24	1.66	10.4	-	0.10	0.02	2.18	0.03	7.88				
1970	-	0.12	1.47	2.15	3.04	10.7	-	0.10	0.03	2.13	0.06	7.55				
1975	-	0.11	1.74	2.10	4.55	10.5	-	0.09	0.04	2.10	0.18	7.57				
1980	-	0.10	2.10	2.08	5.75	10.4	-	0.09	0.07	2.05	0.22	7.53				
1985	-	0.09	2.19	2.03	6.86	11.0	-	0.08	0.09	2.02	0.39	7.79				
1990	-	0.08	2.03	2.01	6.48	10.6	-	0.07	0.10	1.95	0.43	7.32				
1995	-	0.07	1.71	1.87	6.58	9.94	-	0.06	0.11	1.77	0.48	6.84				
2000	-	0.07	1.32	1.76	6.33	9.47	-	0.06	0.11	1.63	0.54	6.60				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

JAPAN: 1950-2000




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	-	6.04	0.00	20.0	0.00	96.0	-	5.57	0.00	14.4	0.00	71.1	-	5.57	0.00	14.4	0.00	71.1
1955	-	3.31	0.33	16.0	0.61	86.4	-	2.76	0.00	11.0	0.00	62.8	-	2.76	0.00	11.0	0.00	62.8
1960	-	2.64	0.88	14.7	2.37	88.0	-	1.98	0.00	9.80	0.00	63.8	-	1.98	0.00	9.80	0.00	63.8
1965	-	1.86	1.13	13.2	4.00	83.4	-	1.26	0.16	8.35	0.50	58.3	-	1.26	0.16	8.35	0.50	58.3
1970	-	1.52	1.36	11.6	5.73	73.1	-	0.96	0.20	7.16	0.84	51.1	-	0.96	0.20	7.16	0.84	51.1
1975	-	1.13	1.28	9.24	7.29	59.7	-	0.72	0.20	5.67	1.30	42.2	-	0.72	0.20	5.67	1.30	42.2
1980	-	0.88	1.30	7.90	8.34	51.5	-	0.53	0.21	4.62	1.84	34.5	-	0.53	0.21	4.62	1.84	34.5
1985	-	0.76	1.26	6.88	8.58	42.0	-	0.44	0.19	3.88	1.70	27.1	-	0.44	0.19	3.88	1.70	27.1
1990	-	0.67	1.29	6.26	8.40	37.2	-	0.38	0.15	3.38	1.62	22.9	-	0.38	0.15	3.38	1.62	22.9
1995	-	0.64	1.26	6.11	8.70	34.1	-	0.38	0.16	3.17	1.52	20.1	-	0.38	0.16	3.17	1.52	20.1
2000	-	0.55	1.08	5.69	7.95	29.7	-	0.31	0.15	2.80	1.15	16.5	-	0.31	0.15	2.80	1.15	16.5

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: JAPAN

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
1950	-	0.06	0.00	2.87	0.00	7.41	-	0.08	0.00	2.36	0.00	4.70				
1955	-	0.07	0.10	2.98	0.17	9.22	-	0.08	0.00	2.29	0.00	5.87				
1960	-	0.09	0.28	2.98	0.74	10.5	-	0.09	0.00	2.27	0.00	6.67				
1965	-	0.10	0.40	2.88	1.35	10.9	-	0.10	0.03	2.16	0.10	6.87				
1970	-	0.10	0.50	2.70	1.91	10.8	-	0.09	0.05	2.01	0.17	6.91				
1975	-	0.09	0.56	2.49	2.90	10.6	-	0.09	0.06	1.86	0.32	6.68				
1980	-	0.08	0.65	2.44	3.84	10.6	-	0.08	0.07	1.71	0.57	6.60				
1985	-	0.07	0.70	2.35	4.41	10.1	-	0.07	0.08	1.56	0.62	6.13				
1990	-	0.06	0.77	2.32	4.62	9.58	-	0.06	0.07	1.46	0.67	5.70				
1995	-	0.06	0.77	2.35	5.03	10.1	-	0.05	0.08	1.43	0.68	5.55				
2000	-	0.05	0.69	2.17	5.05	9.85	-	0.04	0.08	1.37	0.60	5.29				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

LATVIA: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	2.24	7.15	12.6	11.3	70.4	-	1.01	0.49	8.09	0.64	51.7				
1990	-	2.38	7.28	12.4	15.3	68.0	-	0.93	0.45	7.45	1.20	48.1				
1995	-	2.96	8.88	18.5	16.8	70.3	-	1.05	0.34	9.19	1.15	48.7				
2000	-	2.07	6.59	14.8	14.4	60.6	-	0.79	0.14	7.28	1.45	40.4				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: LATVIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	0.11	2.36	2.28	3.90	9.61	-	0.13	0.11	2.31	0.13	6.35		
1990	-	0.12	2.54	2.15	5.49	9.66	-	0.11	0.11	2.18	0.26	6.58		
1995	-	0.10	2.46	2.25	6.49	10.7	-	0.10	0.07	2.20	0.26	6.97		
2000	-	0.09	2.27	2.25	6.29	10.9	-	0.07	0.03	2.09	0.41	7.25		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

LITHUANIA: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	2.32	6.19	11.8	15.1	56.2	-	0.97	0.30	7.23	0.74	43.8				
1990	-	1.91	6.69	11.3	15.0	54.8	-	0.78	0.23	6.92	1.55	41.4				
1995	-	2.32	7.77	14.8	15.2	56.3	-	0.88	0.21	7.95	1.14	40.3				
2000	-	1.91	5.39	12.5	14.0	51.2	-	0.73	0.00	6.38	0.00	35.0				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: LITHUANIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	0.11	2.12	2.22	4.84	8.45	-	0.11	0.07	2.26	0.13	6.10	-	0.10	0.06	2.17
1990	-	0.09	2.52	2.16	5.64	9.80	-	0.10	0.05	2.27	0.24	6.43	-	0.10	0.05	2.27
1995	-	0.09	2.72	2.26	5.87	10.4	-	0.10	0.00	2.19	0.00	6.90	-	0.10	0.00	2.19
2000	-	0.07	2.20	2.33	5.95	10.9	-	0.10	0.00	2.19	0.00	6.90	-	0.10	0.00	2.19

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

LUXEMBOURG: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	2.87	3.87	11.4	4.22	66.6	-	2.04	0.00	10.3	0.00	54.3	-	2.04	0.00	54.3		
1960	-	2.45	4.57	11.0	6.20	72.3	-	1.33	0.00	9.30	0.00	59.2	-	1.33	0.00	59.2		
1965	-	1.96	6.56	10.4	13.4	68.4	-	1.14	0.00	8.62	0.00	56.6	-	1.14	0.00	56.6		
1970	-	2.13	6.93	9.47	15.7	68.4	-	1.33	0.12	8.71	0.00	54.2	-	1.33	0.12	54.2		
1975	-	1.68	6.60	10.4	19.7	62.5	-	0.75	0.03	7.96	0.74	62.9	-	0.75	0.03	62.9		
1980	-	1.13	5.29	8.60	18.6	61.1	-	0.85	0.35	6.58	0.59	46.5	-	0.85	0.35	46.5		
1985	-	1.14	4.87	8.30	21.0	55.6	-	0.69	0.58	5.87	0.00	41.5	-	0.69	0.58	41.5		
1990	-	1.13	3.98	7.19	18.6	44.0	-	0.56	0.57	5.35	0.43	33.4	-	0.56	0.57	33.4		
1995	-	0.85	3.54	6.68	16.0	36.8	-	0.47	0.16	4.43	2.55	27.9	-	0.47	0.16	27.9		
2000	-	0.89	2.88	5.94	12.1	35.9	-	0.37	0.48	3.93	2.04	25.5	-	0.37	0.48	25.5		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1970-2000: LUXEMBOURG

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	-	0.09	2.78	1.86	6.27	11.6	-	0.08	0.03	2.67	0.00	8.64	-	0.08	0.03	2.67	0.00	8.64
1975	-	0.13	2.56	2.14	8.07	11.6	-	0.02	0.00	2.66	0.11	11.2	-	0.02	0.00	2.66	0.11	11.2
1980	-	0.03	2.35	1.68	8.47	12.3	-	0.11	0.10	2.34	0.18	10.0	-	0.11	0.10	2.34	0.18	10.0
1985	-	0.09	2.15	2.08	9.32	11.6	-	0.10	0.18	2.32	0.00	9.76	-	0.10	0.18	2.32	0.00	9.76
1990	-	0.03	2.11	1.94	8.40	9.01	-	0.07	0.23	2.52	0.14	7.35	-	0.07	0.23	2.52	0.14	7.35
1995	-	0.05	1.94	2.12	7.69	8.66	-	0.03	0.06	1.97	0.90	7.82	-	0.03	0.06	1.97	0.90	7.82
2000	-	0.03	1.56	1.75	6.41	9.86	-	0.04	0.23	1.86	0.66	7.31	-	0.04	0.23	1.86	0.66	7.31

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

MALTA: 1965-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950			
1955			
1960			
1965	-	1.62	5.27	12.3	9.62	80.1	-	1.34	0.08	12.9	0.00	67.7				
1970	-	1.84	5.19	11.5	8.73	79.3	-	1.07	0.00	10.1	0.00	73.3				
1975	-	1.17	5.93	9.48	7.74	81.5	-	1.02	0.00	9.09	0.00	69.0				
1980	-	1.25	4.60	10.2	8.48	73.6	-	0.70	0.00	9.51	0.00	56.2				
1985	-	1.19	3.71	8.25	13.1	56.5	-	0.74	0.00	6.18	0.00	51.4				
1990	-	0.73	2.76	6.63	12.5	53.1	-	0.38	0.00	5.30	0.00	39.2				
1995	-	0.91	2.51	5.19	9.97	36.3	-	0.36	0.00	4.39	0.00	36.8				
2000	-	0.52	1.85	5.61	7.77	45.9	-	0.38	0.14	4.15	1.79	31.9				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2000: MALTA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965	-	0.06	1.52	2.12	2.86	6.90	-	0.11	0.02	2.21	0.00	6.60	0.00	6.60	0.00	6.60
1970	-	0.15	1.46	1.95	2.07	7.39	-	0.05	0.00	2.13	0.00	7.96	0.00	7.96	0.00	7.96
1975	-	0.10	1.83	1.65	1.71	7.85	-	0.07	0.00	2.01	0.00	5.64	0.00	5.64	0.00	5.64
1980	-	0.11	1.68	1.85	2.94	8.67	-	0.06	0.00	2.47	0.00	7.59	0.00	7.59	0.00	7.59
1985	-	0.06	1.52	1.76	4.74	8.61	-	0.07	0.00	2.00	0.00	8.56	0.00	8.56	0.00	8.56
1990	-	0.06	1.23	1.61	4.85	10.3	-	0.07	0.00	1.84	0.00	6.65	0.00	6.65	0.00	6.65
1995	-	0.09	1.37	1.78	4.66	9.39	-	0.07	0.00	1.92	0.00	8.85	0.00	8.85	0.00	8.85
2000	-	0.00	0.92	1.72	3.01	8.96	-	0.04	0.05	1.99	0.66	8.31	0.66	8.31	0.66	8.31

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

MOLDOVA, Republic of: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950			
1955			
1960			
1965			
1970			
1975			
1980			
1985	-	2.92	5.63	14.9	8.09	80.0	-	1.62	0.60	12.5	0.53	62.9				
1990	-	2.28	5.76	13.0	9.00	67.4	-	1.11	0.34	10.6	2.07	53.3				
1995	-	2.49	6.98	17.2	9.32	83.6	-	1.20	0.60	12.7	0.16	70.0				
2000	-	1.67	4.23	14.4	5.71	73.4	-	0.85	0.30	9.67	0.00	54.8				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: Republic of MOLDOVA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	0.11	1.60	1.73	1.95	5.90	-	0.10	0.10	1.81	0.05	4.01	-	0.05	4.01	
1990	-	0.12	1.98	2.19	2.54	6.92	-	0.12	0.05	2.08	0.32	4.54	-	0.32	4.54	
1995	-	0.13	1.97	2.20	2.19	6.91	-	0.11	0.09	2.05	0.01	4.90	-	0.01	4.90	
2000	-	0.08	1.26	1.97	1.32	5.44	-	0.09	0.05	1.70	0.00	3.66	-	0.00	3.66	

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

NETHERLANDS: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	-	1.83	2.03	8.25	3.55	59.4	-	1.34	0.00	8.54	0.00	59.9	-	1.08	0.00	7.48	0.00	55.1
1955	-	1.54	2.71	7.80	4.94	58.7	-	0.91	0.00	6.63	0.00	50.9	-	0.82	0.00	6.40	0.00	47.5
1960	-	1.38	3.59	7.26	7.62	52.9	-	0.78	0.00	6.28	0.00	44.5	-	0.62	0.04	5.60	0.00	40.7
1965	-	1.28	4.60	7.28	11.2	52.5	-	0.56	0.22	4.87	0.23	33.8	-	0.51	0.36	4.55	0.70	31.2
1970	-	1.26	5.29	7.33	16.5	50.9	-	0.49	0.54	4.19	1.21	28.6	-	0.41	0.83	3.95	2.14	26.9
1975	-	1.00	5.41	6.89	20.0	46.8	-	0.41	0.83	3.95	2.14	26.9	-	0.41	0.83	3.95	2.14	26.9
1980	-	0.93	4.82	6.31	23.2	42.7	-	0.41	0.83	3.95	2.14	26.9	-	0.41	0.83	3.95	2.14	26.9
1985	-	0.81	4.57	5.98	23.1	41.9	-	0.41	0.83	3.95	2.14	26.9	-	0.41	0.83	3.95	2.14	26.9
1990	-	0.77	3.70	5.81	21.6	39.8	-	0.41	0.83	3.95	2.14	26.9	-	0.41	0.83	3.95	2.14	26.9
1995	-	0.66	3.22	5.53	18.9	39.5	-	0.41	0.83	3.95	2.14	26.9	-	0.41	0.83	3.95	2.14	26.9
2000	-	0.62	2.52	5.30	16.0	37.4	-	0.40	0.96	3.62	3.05	25.2	-	0.40	0.96	3.62	3.05	25.2

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: NETHERLANDS

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	-	0.12	0.78	2.08	1.46	12.1	-	0.11	0.00	2.70	0.00	11.0		
1955	-	0.12	1.06	1.89	2.03	11.4	-	0.10	0.00	2.52	0.00	10.0		
1960	-	0.14	1.47	1.84	3.19	10.6	-	0.11	0.00	2.45	0.00	9.54		
1965	-	0.11	1.86	1.78	4.78	10.7	-	0.11	0.00	2.45	0.00	9.65		
1970	-	0.11	2.13	1.73	6.91	9.82	-	0.10	0.00	2.45	0.00	9.12		
1975	-	0.09	2.33	1.78	8.69	9.83	-	0.08	0.01	2.31	0.00	9.27		
1980	-	0.08	2.23	1.71	11.1	9.74	-	0.07	0.08	2.12	0.07	8.25		
1985	-	0.08	2.19	1.68	10.9	9.38	-	0.06	0.15	2.12	0.22	8.08		
1990	-	0.06	1.82	1.75	10.2	9.73	-	0.06	0.24	2.08	0.38	7.76		
1995	-	0.06	1.67	1.73	9.01	9.65	-	0.06	0.36	1.93	0.71	7.28		
2000	-	0.06	1.36	1.75	7.81	9.65	-	0.06	0.45	1.80	1.05	7.21		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

NEW ZEALAND: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950	-	2.32	1.96	12.0	2.70	74.6	-	1.86	0.00	10.0	0.00	55.3	-	1.86	0.00	10.0	0.00	55.3
1955	-	2.18	3.16	10.5	6.00	68.0	-	1.40	0.00	9.05	0.00	54.6	-	1.40	0.00	9.05	0.00	54.6
1960	-	1.85	3.17	10.7	8.62	66.1	-	1.25	0.19	7.94	0.27	50.6	-	1.25	0.19	7.94	0.27	50.6
1965	-	1.77	4.05	10.5	14.9	72.0	-	1.05	0.25	8.15	0.00	49.6	-	1.05	0.25	8.15	0.00	49.6
1970	-	1.76	5.02	10.1	15.7	64.9	-	1.01	0.76	7.45	1.64	47.1	-	1.01	0.76	7.45	1.64	47.1
1975	-	1.58	4.61	9.51	18.3	55.3	-	0.95	1.00	6.49	2.23	40.8	-	0.95	1.00	6.49	2.23	40.8
1980	-	1.49	4.09	8.74	19.4	55.3	-	0.92	1.20	6.38	3.40	39.5	-	0.92	1.20	6.38	3.40	39.5
1985	-	1.38	3.63	8.15	15.5	53.1	-	0.80	1.36	5.41	3.69	35.6	-	0.80	1.36	5.41	3.69	35.6
1990	-	1.40	2.83	7.07	13.5	45.4	-	0.66	1.29	4.92	4.39	29.0	-	0.66	1.29	4.92	4.39	29.0
1995	-	1.17	2.37	6.45	11.7	40.9	-	0.63	1.19	4.29	5.26	25.4	-	0.63	1.19	4.29	5.26	25.4
2000	-	1.02	1.63	5.54	9.34	34.7	-	0.50	0.97	3.71	4.48	21.3	-	0.50	0.97	3.71	4.48	21.3

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: NEW ZEALAND

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)									
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79					
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
1950	-	0.10	0.57	2.07	0.97	11.8	-	0.10	0.00	2.50	0.00	8.44	-	0.09	0.00	2.50	0.00	9.02
1955	-	0.11	0.96	1.97	1.83	10.2	-	0.11	0.04	2.28	0.05	7.86	-	0.13	0.06	2.45	0.00	7.14
1960	-	0.12	0.92	1.79	2.60	10.0	-	0.09	0.18	2.29	0.00	7.85	-	0.11	0.18	2.29	0.04	7.85
1965	-	0.12	1.20	1.80	4.50	10.8	-	0.13	0.06	2.45	0.00	7.14	-	0.13	0.06	2.45	0.00	7.14
1970	-	0.13	1.57	1.91	5.04	10.0	-	0.09	0.18	2.29	0.00	7.85	-	0.09	0.18	2.29	0.04	7.85
1975	-	0.13	1.58	1.90	6.46	9.56	-	0.11	0.27	2.33	0.54	7.73	-	0.11	0.27	2.33	0.54	7.73
1980	-	0.12	1.45	1.91	6.73	9.97	-	0.10	0.33	2.46	0.87	7.63	-	0.10	0.33	2.46	0.87	7.63
1985	-	0.10	1.42	2.12	5.59	10.4	-	0.11	0.42	2.30	0.96	7.92	-	0.11	0.42	2.30	0.96	7.92
1990	-	0.10	1.27	2.00	5.53	10.5	-	0.08	0.47	2.40	1.34	7.57	-	0.08	0.47	2.40	1.34	7.57
1995	-	0.08	1.11	1.98	5.14	11.0	-	0.08	0.47	2.24	1.74	7.29	-	0.08	0.47	2.24	1.74	7.29
2000	-	0.07	0.85	1.94	4.67	11.1	-	0.07	0.40	1.92	1.61	6.73	-	0.07	0.40	1.92	1.61	6.73

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

NORWAY: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	1.75	0.60	9.24	0.06	54.5	-	1.10	0.00	6.65	0.00	46.6	-	1.10	0.00	6.65	0.00	
1960	-	1.61	1.12	9.22	1.11	57.4	-	0.95	0.00	6.33	0.00	46.5	-	0.84	0.00	5.93	0.00	
1965	-	1.51	1.34	9.95	2.21	59.1	-	0.84	0.00	5.93	0.00	44.8	-	0.66	0.00	5.75	0.00	
1970	-	1.33	1.86	9.90	4.12	61.5	-	0.66	0.00	5.75	0.00	42.4	-	0.61	0.11	5.27	0.00	
1975	-	1.16	1.97	9.21	5.73	58.3	-	0.61	0.11	5.27	0.00	39.2	-	0.51	0.23	4.72	0.25	
1980	-	1.07	2.04	9.07	6.89	54.5	-	0.51	0.23	4.72	0.25	35.3	-	0.53	0.38	4.39	1.49	
1985	-	1.04	2.27	8.14	8.74	54.8	-	0.53	0.38	4.39	1.49	32.1	-	0.49	0.58	4.14	1.67	
1990	-	0.97	2.06	7.58	8.82	50.7	-	0.49	0.58	4.14	1.67	30.9	-	0.35	0.74	3.73	2.35	
1995	-	0.76	2.01	6.55	8.94	45.5	-	0.35	0.74	3.73	2.35	26.7	-	0.37	0.80	3.28	3.68	
2000	-	0.81	1.58	5.52	7.99	37.4	-	0.37	0.80	3.28	3.68	22.4	-					

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: NORWAY

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79			
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	---	---	---	---	---	---	---	---	---	---	---	---		
1955	-	0.13	0.22	2.28	0.02	11.0	-	0.14	0.00	2.26	0.00	8.34		
1960	-	0.14	0.41	1.97	0.47	11.0	-	0.12	0.00	2.17	0.00	7.77		
1965	-	0.13	0.47	2.08	0.91	11.4	-	0.08	0.00	2.04	0.00	7.69		
1970	-	0.12	0.64	1.97	1.55	11.5	-	0.10	0.00	2.08	0.00	7.61		
1975	-	0.10	0.71	1.94	2.26	11.2	-	0.07	0.04	2.16	0.00	7.26		
1980	-	0.08	0.74	1.88	2.77	11.4	-	0.07	0.08	1.98	0.07	7.87		
1985	-	0.07	0.90	1.89	3.56	12.2	-	0.07	0.16	2.01	0.45	7.66		
1990	-	0.07	0.88	1.86	3.70	10.9	-	0.06	0.24	1.96	0.53	7.68		
1995	-	0.05	0.93	1.74	4.05	11.1	-	0.05	0.32	1.94	0.72	7.00		
2000	-	0.05	0.81	1.75	3.83	9.93	-	0.05	0.37	1.71	1.32	6.65		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

POLAND: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	4.84	2.16	14.4	3.80	77.6	-	3.68	0.08	10.7	0.17	66.8	-	3.68	0.09	8.57	0.35	55.8
1960	-	3.15	2.95	11.8	8.01	69.1	-	2.17	0.11	8.01	0.31	54.6	-	1.65	0.17	7.57	0.52	51.4
1965	-	2.54	3.21	11.0	6.83	69.6	-	1.44	0.27	7.06	0.94	50.5	-	1.20	0.50	7.31	1.24	48.4
1970	-	2.38	4.24	10.9	10.9	67.0	-	1.03	0.64	7.12	1.62	48.6	-	0.87	0.75	6.77	2.26	44.7
1975	-	2.16	6.29	11.2	15.2	66.3	-	0.77	0.79	6.07	2.34	41.1	-	0.66	0.82	5.28	2.25	36.3
1980	-	2.06	7.10	10.4	17.4	66.0	-	0.66	0.82	5.28	2.25	36.3	-	0.66	0.82	5.28	2.25	36.3
1985	-	1.73	7.67	10.5	16.7	62.0	-	0.66	0.82	5.28	2.25	36.3	-	0.66	0.82	5.28	2.25	36.3
1990	-	1.69	7.18	10.0	16.6	56.3	-	0.66	0.82	5.28	2.25	36.3	-	0.66	0.82	5.28	2.25	36.3
1995	-	1.39	5.97	9.24	17.1	50.3	-	0.48	0.82	5.28	2.25	36.3	-	0.48	0.82	5.28	2.25	36.3
2000	-	1.07	5.97	9.24	17.1	50.3	-	0.48	0.82	5.28	2.25	36.3	-	0.48	0.82	5.28	2.25	36.3

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1965-2000: POLAND

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965	-	0.11	1.08	2.31	2.25	9.52	-	0.10	0.02	2.37	0.06	7.84	-	0.10	0.08	7.14
1970	-	0.11	1.38	2.22	3.07	9.17	-	0.10	0.04	2.29	0.08	7.14	-	0.09	0.07	7.33
1975	-	0.10	1.69	2.10	4.47	9.44	-	0.10	0.07	2.25	0.18	7.33	-	0.10	0.13	6.94
1980	-	0.10	2.14	2.14	5.08	9.31	-	0.10	0.13	2.34	0.25	6.94	-	0.09	0.16	7.23
1985	-	0.10	2.55	2.09	5.85	9.55	-	0.09	0.16	2.29	0.34	7.23	-	0.08	0.21	7.38
1990	-	0.10	2.86	2.10	6.30	9.53	-	0.08	0.21	2.25	0.56	7.38	-	0.07	0.25	7.42
1995	-	0.08	2.85	2.07	6.99	9.76	-	0.07	0.25	2.20	0.64	7.42	-	0.06	0.30	7.67
2000	-	0.07	2.54	2.09	7.74	10.5	-	0.06	0.30	2.13	0.67	7.67	-			

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

PORTUGAL: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	6.04	0.74	15.4	1.98	91.6	-	5.19	0.00	9.46	0.00	67.8	-	5.19	0.00	67.8
1960	-	5.00	0.94	13.5	0.93	80.3	-	4.02	0.00	8.32	0.00	60.3	-	4.02	0.00	60.3
1965	-	4.06	1.25	13.9	2.19	78.2	-	3.08	0.00	8.10	0.00	56.4	-	3.08	0.00	56.4
1970	-	3.43	1.72	13.2	3.25	78.6	-	2.51	0.00	7.81	0.00	57.5	-	2.51	0.00	57.5
1975	-	3.02	2.03	13.9	5.41	88.6	-	1.84	0.00	7.63	0.00	59.2	-	1.84	0.00	59.2
1980	-	2.07	2.17	11.6	5.38	67.5	-	1.20	0.00	6.70	0.00	50.7	-	1.20	0.00	50.7
1985	-	1.79	2.12	9.95	6.45	61.4	-	0.93	0.01	5.74	0.00	41.2	-	0.93	0.00	41.2
1990	-	1.69	2.21	9.06	6.92	56.0	-	0.79	0.00	5.26	0.00	39.1	-	0.79	0.00	39.1
1995	-	1.58	2.16	8.31	6.48	50.2	-	0.64	0.05	4.57	0.17	34.2	-	0.64	0.17	34.2
2000	-	1.27	2.07	7.38	6.70	45.8	-	0.52	0.10	4.11	0.27	29.9	-	0.52	0.27	29.9

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: PORTUGAL

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79			
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950		
1955	-	0.08	0.19	1.96	0.47	7.43	-	0.08	0.00	1.77	0.00	5.51		
1960	-	0.11	0.28	2.14	0.23	8.09	-	0.09	0.00	1.86	0.00	5.28		
1965	-	0.11	0.36	2.18	0.58	8.55	-	0.09	0.00	1.92	0.00	5.95		
1970	-	0.11	0.52	2.22	0.87	9.39	-	0.11	0.00	1.93	0.00	6.04		
1975	-	0.12	0.60	2.31	1.43	10.7	-	0.11	0.00	1.91	0.00	6.65		
1980	-	0.12	0.79	2.20	1.77	9.98	-	0.11	0.00	1.94	0.00	6.51		
1985	-	0.10	0.85	2.07	2.36	9.87	-	0.09	0.00	1.79	0.00	6.02		
1990	-	0.09	0.94	2.06	2.71	9.90	-	0.09	0.00	1.75	0.00	6.68		
1995	-	0.08	0.99	2.06	2.79	10.5	-	0.08	0.02	1.65	0.04	6.40		
2000	-	0.07	1.00	1.95	3.05	10.2	-	0.06	0.04	1.57	0.08	6.01		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

ROMANIA: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950
1955
1960
1965
1970
1975
1980
1985	-	2.19	4.48	11.0	7.32	70.2	-	1.43	0.43	8.03	0.64	58.4
1990	-	2.13	4.71	10.8	6.45	64.0	-	1.33	0.48	7.58	0.81	51.8
1995	-	1.98	5.82	12.6	7.58	66.3	-	1.13	0.51	7.89	0.99	51.7
2000	-	1.68	5.27	10.9	7.83	60.8	-	1.02	0.50	7.06	1.82	47.3

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: ROMANIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	0.13	1.41	1.85	1.58	7.00	-	0.11	0.08	1.89	0.07	4.95				
1990	-	0.12	1.56	1.77	1.65	6.76	-	0.11	0.11	1.85	0.11	4.90				
1995	-	0.12	1.86	1.85	2.40	7.48	-	0.11	0.12	1.91	0.17	5.38				
2000	-	0.11	1.95	1.88	2.76	7.97	-	0.10	0.13	1.97	0.37	5.79				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

RUSSIAN FEDERATION: 1980-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950
1955
1960
1965
1970
1975
1980	-	3.26	7.81	14.9	14.5	74.7	-	1.35	0.43	8.40	1.17	50.1
1985	-	2.78	8.35	13.4	16.7	73.1	-	1.22	0.51	8.28	1.53	51.3
1990	-	2.50	8.43	12.2	18.4	65.0	-	1.01	0.50	7.64	2.03	47.4
1995	-	3.61	10.9	19.0	18.7	72.1	-	1.31	0.50	10.2	1.85	52.2
2000	-	3.59	9.86	19.1	19.6	73.8	-	1.25	0.30	9.87	1.84	52.9

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1980-2000: RUSSIAN FEDERATION

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980	-	0.12	2.54	2.39	4.97	9.10	-	0.10	0.10	2.15	0.24	5.97	-	0.10	0.11	2.13
1985	-	0.11	2.85	2.32	5.62	9.37	-	0.10	0.11	2.13	0.30	6.22	-	0.10	0.12	2.18
1990	-	0.11	3.13	2.31	6.63	9.63	-	0.10	0.12	2.18	0.43	6.69	-	0.10	0.09	2.21
1995	-	0.10	3.02	2.36	6.22	9.44	-	0.10	0.09	2.21	0.36	6.55	-	0.10	0.06	2.17
2000	-	0.09	2.59	2.36	6.28	9.61	-	0.09	0.06	2.17	0.36	6.84	-	0.09	0.06	2.17

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SLOVAKIA: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	1.52	6.71	11.1	17.5	67.5	-	0.79	0.36	7.51	1.57	57.3	-	0.68	0.33	7.47	1.42	47.4
1990	-	1.37	7.51	12.1	14.0	65.1	-	0.57	0.26	6.81	1.38	44.2	-	0.47	0.40	5.81	1.19	42.3
1995	-	1.13	6.65	10.3	15.4	58.6	-	0.47	0.40	5.81	1.19	42.3	-	0.47	0.40	5.81	1.19	42.3
2000	-	1.06	5.80	10.3	15.4	58.6	-	0.47	0.40	5.81	1.19	42.3	-	0.47	0.40	5.81	1.19	42.3

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: SLOVAKIA

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	Attributed to smoking?		0-34		35-69		70-79		Attributed to smoking?		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955
1960
1965
1970
1975
1980
1985	-	0.11	2.56	2.14	6.06	9.97	-	0.10	0.08	2.19	0.28	8.00	-	0.09	0.08	2.27
1990	-	0.10	3.01	2.25	5.79	10.3	-	0.07	0.08	2.18	0.37	7.16	-	0.09	0.08	2.27
1995	-	0.08	2.94	2.27	6.31	10.8	-	0.07	0.08	2.18	0.37	7.16	-	0.07	0.08	2.18
2000	-	0.07	2.64	2.41	6.75	11.8	-	0.06	0.13	2.17	0.32	7.96	-	0.06	0.13	2.17

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SPAIN: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	3.38	1.41	12.1	2.59	75.1	-	2.78	0.00	8.92	0.00	57.4	-	2.78	0.00	8.92	0.00	
1960	-	2.45	1.81	11.0	4.68	67.6	-	1.83	0.05	7.92	0.00	53.5	-	1.83	0.05	7.92	0.00	
1965	-	2.09	1.96	10.3	6.55	68.5	-	1.43	0.00	7.17	0.00	54.3	-	1.43	0.00	7.17	0.00	
1970	-	1.68	2.24	9.55	7.00	61.3	-	1.08	0.07	6.47	0.00	47.7	-	1.08	0.07	6.47	0.00	
1975	-	1.48	2.80	9.17	10.6	61.1	-	0.93	0.00	6.07	0.00	47.9	-	0.93	0.00	6.07	0.00	
1980	-	1.16	2.54	7.80	9.83	52.8	-	0.65	0.00	4.96	0.00	38.0	-	0.65	0.00	4.96	0.00	
1985	-	1.04	2.83	7.04	10.8	45.9	-	0.55	0.00	4.37	0.00	32.7	-	0.55	0.00	4.37	0.00	
1990	-	1.26	2.93	6.19	11.2	39.5	-	0.57	0.00	3.86	0.00	28.1	-	0.57	0.00	3.86	0.00	
1995	-	1.08	2.95	5.70	11.3	34.9	-	0.48	0.00	3.45	0.00	24.3	-	0.48	0.00	3.45	0.00	
2000	-	0.77	2.68	5.33	10.2	33.2	-	0.37	0.05	3.12	0.00	21.9	-	0.37	0.05	3.12	0.00	

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: SPAIN

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
1950	---	---	---	---	---	---	---	---	---	---	---	---				
1955	-	0.07	0.38	1.90	0.64	8.63	-	0.07	0.00	1.73	0.00	6.00				
1960	-	0.09	0.56	2.06	1.36	9.06	-	0.08	0.01	1.85	0.00	6.51				
1965	-	0.11	0.66	2.07	2.03	10.9	-	0.08	0.00	1.85	0.00	7.10				
1970	-	0.11	0.80	2.01	2.18	9.77	-	0.09	0.01	1.80	0.00	6.74				
1975	-	0.11	1.07	2.06	3.47	10.2	-	0.09	0.00	1.83	0.00	7.11				
1980	-	0.10	1.19	1.96	4.18	10.1	-	0.08	0.00	1.70	0.00	6.67				
1985	-	0.08	1.39	1.89	4.70	9.71	-	0.07	0.00	1.59	0.00	6.29				
1990	-	0.08	1.57	1.84	5.13	9.75	-	0.06	0.00	1.62	0.00	6.03				
1995	-	0.07	1.64	1.85	5.53	9.58	-	0.06	0.00	1.59	0.00	6.02				
2000	-	0.06	1.55	1.83	5.19	9.37	-	0.05	0.03	1.47	0.00	5.67				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SWEDEN: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	1.52	0.82	9.84	1.52	63.0	-	1.01	0.00	7.87	0.00	54.9	-	1.01	0.00	7.87	0.00	
1960	-	1.42	1.15	9.45	2.41	63.5	-	0.92	0.00	7.05	0.00	53.0	-	0.92	0.00	7.05	0.00	
1965	-	1.33	1.23	9.23	3.93	61.8	-	0.83	0.00	6.46	0.00	47.6	-	0.83	0.00	6.46	0.00	
1970	-	1.18	1.36	8.98	5.41	56.1	-	0.68	0.05	5.88	0.66	41.2	-	0.68	0.05	5.88	0.66	
1975	-	1.07	1.63	9.08	7.41	56.8	-	0.61	0.16	5.43	1.01	38.6	-	0.61	0.16	5.43	1.01	
1980	-	0.94	1.65	8.82	7.53	53.4	-	0.51	0.31	4.99	1.00	34.2	-	0.51	0.31	4.99	1.00	
1985	-	0.85	1.68	7.76	6.04	50.0	-	0.53	0.35	4.38	0.75	30.9	-	0.53	0.35	4.38	0.75	
1990	-	0.80	1.38	6.95	5.94	48.2	-	0.46	0.45	4.04	1.45	28.1	-	0.46	0.45	4.04	1.45	
1995	-	0.56	1.19	6.26	5.57	42.6	-	0.32	0.59	3.61	1.95	24.5	-	0.32	0.59	3.61	1.95	
2000	-	0.55	0.97	5.41	5.04	37.5	-	0.27	0.65	3.33	2.40	22.2	-	0.27	0.65	3.33	2.40	

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: SWEDEN

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)							FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79		
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	0.11	0.29	1.99	0.62	11.0	-	0.11	0.00	2.39	0.00	8.38	
1960	-	0.11	0.44	2.06	0.99	11.6	-	0.11	0.00	2.36	0.00	8.78	
1965	-	0.11	0.48	1.88	1.60	11.5	-	0.09	0.00	2.22	0.00	8.25	
1970	-	0.09	0.53	1.91	2.27	10.7	-	0.08	0.02	2.24	0.18	8.15	
1975	-	0.09	0.64	1.98	3.17	12.0	-	0.08	0.06	2.24	0.32	8.64	
1980	-	0.08	0.65	1.92	3.22	10.9	-	0.07	0.11	2.14	0.31	8.10	
1985	-	0.07	0.70	1.78	2.61	10.2	-	0.07	0.14	1.97	0.24	7.33	
1990	-	0.06	0.63	1.78	2.69	10.5	-	0.06	0.19	1.91	0.51	7.30	
1995	-	0.06	0.59	1.69	2.64	10.2	-	0.05	0.27	1.84	0.71	6.97	
2000	-	0.06	0.52	1.58	2.54	9.96	-	0.04	0.31	1.69	0.93	6.88	

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

SWITZERLAND: 1955-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking




Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	-	2.22	2.91	10.8	5.15	72.4	-	1.43	0.00	8.81	0.00	60.3	-	1.43	0.00	8.81	0.00	
1960	-	1.87	3.21	10.1	6.62	68.5	-	1.11	0.00	7.67	0.00	55.0	-	1.11	0.00	7.67	0.00	
1965	-	1.61	3.44	9.68	8.70	66.1	-	0.97	0.00	7.11	0.00	51.5	-	0.97	0.00	7.11	0.00	
1970	-	1.55	3.53	8.86	10.9	58.6	-	0.82	0.00	6.30	0.00	45.9	-	0.82	0.00	6.30	0.00	
1975	-	1.28	3.75	7.55	12.1	51.7	-	0.68	0.09	5.28	0.00	38.0	-	0.68	0.09	5.28	0.00	
1980	-	1.22	3.44	7.25	12.3	47.2	-	0.64	0.18	4.89	0.35	33.8	-	0.64	0.18	4.89	0.35	
1985	-	1.05	3.16	6.35	12.2	42.6	-	0.55	0.19	4.17	0.68	28.3	-	0.55	0.19	4.17	0.68	
1990	-	1.11	2.79	6.02	11.7	40.9	-	0.54	0.25	3.82	1.25	26.2	-	0.54	0.25	3.82	1.25	
1995	-	0.95	2.05	5.87	9.22	37.9	-	0.48	0.36	3.47	1.17	23.0	-	0.48	0.36	3.47	1.17	
2000	-	0.76	1.78	5.08	8.53	33.4	-	0.37	0.43	3.05	1.53	20.6	-	0.37	0.43	3.05	1.53	

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1955-2000: SWITZERLAND

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	Attributed to smoking?		0-34		35-69		70-79		0-34		35-69		70-79	
	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1950
1955	-	0.11	1.19	2.38	2.21	13.3	-	0.10	0.00	2.50	0.00	9.75	-	0.00
1960	-	0.11	1.29	2.17	2.87	12.4	-	0.09	0.00	2.40	0.00	9.46	-	0.00
1965	-	0.11	1.45	2.10	3.74	12.2	-	0.07	0.00	2.40	0.00	9.23	-	0.00
1970	-	0.11	1.47	1.97	4.60	11.5	-	0.08	0.00	2.28	0.00	8.93	-	0.00
1975	-	0.12	1.76	1.86	5.54	11.2	-	0.08	0.03	2.12	0.00	8.59	-	0.00
1980	-	0.09	1.67	1.79	5.65	10.3	-	0.07	0.07	2.11	0.10	7.97	-	0.00
1985	-	0.08	1.64	1.82	6.16	11.5	-	0.07	0.09	1.98	0.23	7.88	-	0.00
1990	-	0.06	1.47	1.76	5.71	11.0	-	0.05	0.12	1.85	0.47	7.66	-	0.00
1995	-	0.06	1.10	1.78	4.61	10.0	-	0.04	0.18	1.69	0.46	6.70	-	0.00
2000	-	0.05	1.03	1.63	4.66	9.73	-	0.05	0.23	1.53	0.63	6.35	-	0.00

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

UKRAINE: 1985-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)						FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	
1955	
1960	
1965	
1970	
1975	
1980	
1985	-	2.07	6.72	12.2	13.6	69.6	-	1.01	0.45	7.82	1.36	51.7
1990	-	2.01	7.32	11.3	15.8	61.9	-	0.86	0.47	7.33	2.28	47.0
1995	-	2.62	9.10	16.6	16.5	73.4	-	1.06	0.46	9.39	1.92	55.0
2000	-	2.51	7.78	16.7	15.5	73.0	-	0.95	0.30	8.87	1.18	52.6

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1985-2000: UKRAINE

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)							
	0-34		35-69		70-79		0-34		35-69		70-79					
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950			
1955			
1960			
1965			
1970			
1975			
1980			
1985	-	0.12	2.25	2.14	4.04	7.50	-	0.11	0.09	2.02	0.21	4.92				
1990	-	0.13	2.71	2.19	5.01	8.29	-	0.11	0.10	2.12	0.40	5.61				
1995	-	0.12	2.60	2.31	4.49	8.21	-	0.12	0.08	2.16	0.29	5.46				
2000	-	0.11	2.20	2.28	4.40	8.23	-	0.10	0.06	2.10	0.19	5.30				

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

UNITED KINGDOM: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79			
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No			
1950	-	2.17	5.56	10.8	7.59	79.8	-	1.78	0.51	9.49	0.79	63.8		
1955	-	1.79	6.64	9.43	13.5	76.2	-	1.31	0.58	8.44	0.99	58.3		
1960	-	1.69	7.12	8.64	18.4	67.8	-	1.14	0.68	7.68	1.67	53.3		
1965	-	1.52	7.57	8.36	22.5	63.8	-	1.02	0.99	7.10	2.00	49.5		
1970	-	1.38	7.24	8.26	26.7	61.0	-	0.91	1.19	6.82	3.37	47.0		
1975	-	1.20	6.31	8.03	26.9	56.5	-	0.77	1.37	6.19	3.71	42.4		
1980	-	1.11	5.55	7.80	24.0	52.2	-	0.72	1.55	5.68	4.32	38.3		
1985	-	0.92	4.86	7.39	23.1	50.3	-	0.57	1.62	5.26	5.96	35.0		
1990	-	0.94	3.70	6.86	18.0	44.7	-	0.50	1.53	4.73	6.24	30.6		
1995	-	0.83	2.83	6.45	15.3	42.2	-	0.43	1.27	4.29	7.32	28.1		
2000	-	0.74	2.10	5.94	12.6	38.9	-	0.40	1.08	3.88	6.94	25.5		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: UNITED KINGDOM

ALL CANCER mortality rates attributed and not attributed to smoking




† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)					
	0-34		35-69		70-79		0-34		35-69		70-79			
	Attributed to smoking?		Yes	No	Yes	No	Yes	No	Yes	No	Yes	No		
1950	-	0.11	1.55	2.07	2.14	11.9	-	0.11	0.10	2.60	0.12	9.32		
1955	-	0.12	2.04	1.86	3.87	10.7	-	0.11	0.12	2.48	0.17	8.40		
1960	-	0.12	2.34	1.75	5.63	9.77	-	0.10	0.17	2.42	0.32	8.12		
1965	-	0.12	2.52	1.69	6.98	9.44	-	0.10	0.26	2.36	0.41	7.88		
1970	-	0.11	2.47	1.70	8.80	9.23	-	0.09	0.33	2.41	0.76	7.86		
1975	-	0.10	2.27	1.70	9.55	9.00	-	0.09	0.42	2.34	0.94	7.65		
1980	-	0.09	2.13	1.73	9.32	8.81	-	0.09	0.52	2.32	1.24	7.54		
1985	-	0.08	1.97	1.80	9.28	9.62	-	0.08	0.57	2.34	1.80	7.76		
1990	-	0.07	1.66	1.87	7.92	9.81	-	0.07	0.57	2.24	2.08	7.54		
1995	-	0.06	1.32	1.86	6.93	9.77	-	0.06	0.49	2.03	2.45	7.30		
2000	-	0.06	1.05	1.77	6.05	9.63	-	0.05	0.45	1.85	2.48	7.07		

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

UNITED STATES: 1950-2000

ALL-CAUSE mortality rates attributed and not attributed to smoking



* An annual rate of 10 per 1000 implies that 30% of 35-year-olds will die before age 70


† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE all-cause mortality (annual rate/1000, by age)								FEMALE all-cause mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	-	2.35	2.36	13.9	2.23	71.1	-	1.66	0.00	9.75	0.00	54.2	-	1.66	0.00	8.67	0.00	48.7
1955	-	2.14	3.05	12.5	3.91	66.7	-	1.40	0.02	8.67	0.00	46.2	-	1.34	0.10	8.36	0.00	46.2
1960	-	2.06	3.86	12.2	6.21	65.9	-	1.22	0.34	7.91	0.14	42.7	-	1.17	0.75	7.29	0.70	39.7
1965	-	1.96	4.46	11.6	8.66	62.7	-	0.94	1.06	6.07	1.49	35.0	-	0.85	1.41	5.39	2.91	31.5
1970	-	2.02	4.95	10.9	11.3	58.7	-	0.71	1.67	4.85	4.49	28.8	-	0.69	1.76	4.37	6.00	25.4
1975	-	1.72	4.73	9.40	14.3	48.3	-	0.62	1.77	4.22	7.05	24.1	-	0.56	1.66	4.05	7.64	23.1
1980	-	1.63	4.54	8.35	14.3	44.3	-	0.56	1.66	4.05	7.64	23.1	-	0.56	1.66	4.05	7.64	23.1
1985	-	1.38	4.24	7.52	14.3	44.3	-	0.56	1.66	4.05	7.64	23.1	-	0.56	1.66	4.05	7.64	23.1
1990	-	1.42	3.89	6.86	13.4	38.6	-	0.56	1.66	4.05	7.64	23.1	-	0.56	1.66	4.05	7.64	23.1
1995	-	1.29	3.44	6.81	12.6	36.2	-	0.56	1.66	4.05	7.64	23.1	-	0.56	1.66	4.05	7.64	23.1
2000	-	1.04	2.83	6.34	11.7	33.9	-	0.56	1.66	4.05	7.64	23.1	-	0.56	1.66	4.05	7.64	23.1

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)

1950-2000: UNITED STATES

ALL CANCER mortality rates attributed and not attributed to smoking



† Mean of 7 age-specific rates, ages 35-69 (or ages 0-34)

Year	MALE cancer mortality (annual rate/1000, by age)								FEMALE cancer mortality (annual rate/1000, by age)									
	0-34		35-69		70-79		0-34		35-69		70-79		0-34		35-69		70-79	
	Attributed to smoking?	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	
1950	-	0.11	0.61	1.99	0.83	9.79	-	0.11	0.00	2.44	0.00	7.91	-	0.11	0.01	2.37	0.00	7.54
1955	-	0.11	0.88	1.96	1.48	9.60	-	0.11	0.01	2.37	0.00	7.54	-	0.10	0.03	2.28	0.00	7.02
1960	-	0.11	1.12	1.89	2.22	9.22	-	0.10	0.09	2.22	0.03	6.80	-	0.09	0.20	2.15	0.18	6.68
1965	-	0.11	1.35	1.84	3.09	8.95	-	0.10	0.09	2.22	0.03	6.80	-	0.09	0.20	2.15	0.18	6.68
1970	-	0.10	1.57	1.75	4.13	8.67	-	0.09	0.09	2.22	0.03	6.80	-	0.08	0.33	2.03	0.41	6.71
1975	-	0.09	1.69	1.67	5.13	8.77	-	0.08	0.33	2.03	0.41	6.71	-	0.07	0.48	1.98	0.89	6.59
1980	-	0.08	1.80	1.66	5.99	8.69	-	0.07	0.48	1.98	0.89	6.59	-	0.06	0.60	1.92	1.42	6.55
1985	-	0.07	1.78	1.64	6.20	8.49	-	0.06	0.60	1.92	1.42	6.55	-	0.06	0.68	1.82	2.07	6.43
1990	-	0.06	1.73	1.62	6.30	8.39	-	0.06	0.68	1.82	2.07	6.43	-	0.05	0.67	1.72	2.50	6.32
1995	-	0.06	1.53	1.60	6.10	8.15	-	0.05	0.67	1.72	2.50	6.32	-	0.05	0.63	1.59	2.70	6.03
2000	-	0.05	1.31	1.55	5.72	7.80	-	0.05	0.63	1.59	2.70	6.03	-					

0-34 and 35-69 = means of 7 age-specific rates; 70-79 = mean of 2 rates (70-74 & 75-79)